



8/13/2013

Vitor Pimenta
Comma Oil and Chemicals Ltd
Dering Way, Gavesend
Kent DA12 2QX,
England
V.Pimenta@commaoil.com

Dear Vitor,

CONFORMANCE TO CES 20076 ENGINE OIL SPECIFICATION

Results from tests according to CES 20076 have been presented to Cummins. In view of the results I would like to give the following comments.

The results have been found to be within the CES 20076 limits and hence oils formulated as stated in your request can be labeled as conforming to CES 20076.

The oils shall be used per the ambient temperature and SAE grade guidelines in the engine specific Operation and Maintenance (O & M) manual as well as in any Cummins service documents.

Please notify Cummins Inc. if the formulation of this product changes.

Brand Name: Comma Transflow SD 15W-40
SAE Grade: 15W-40

I hope this information will be of assistance to you.

Sincerely,

A handwritten signature in black ink, appearing to read 'Daniel A. Nyman', written in a cursive style.

Daniel A. Nyman
Chemical Technology

DISCLAIMER: Product registration means the manufacturer or marketer has faithfully collected information pertinent to the requirements of the specification, and with the full intention to conform to the specification. However, it is still the responsibility of the manufacturer or marketer to ensure satisfactory performance of its products in all aspects at all times. Registration for CES 20076 does not waive product liability of the manufacturer or marketer. Cummins does not warrant the performance of non-Cummins products, registered or not.

Cummins Inc.
500 Jackson Street
Columbus, IN 47201 USA
Phone 1 812 377 5000
cummins.com

Revision Date: May 1, 2006



8/13/2013

Vitor Pimenta
Comma Oil and Chemicals Ltd
Dering Way, Gavesend
Kent DA12 2QX,
England
V.Pimenta@commaoil.com

Dear Vitor,

CONFORMANCE TO CES 20077 ENGINE OIL SPECIFICATION

Results from tests according to CES 20077 have been presented to Cummins. In view of the results I would like to give the following comments.

The results have been found to be within the CES 20077 limits and hence oils formulated as stated in your request can be labeled as conforming to CES 20077.

The oils shall be used per the ambient temperature and SAE grade guidelines in the engine specific Operation and Maintenance (O & M) manual as well as in any Cummins service documents.

Please notify Cummins Inc. if the formulation of this product changes.

Brand Name: Comma Transflow SD 15W-40
SAE Grade: 15W-40

I hope this information will be of assistance to you.

Sincerely,

A handwritten signature in black ink, appearing to read 'Daniel Nyman'.

Daniel A. Nyman
Chemical Technology

DISCLAIMER: Product registration means the manufacturer or marketer has faithfully collected information pertinent to the requirements of the specification, and with the full intention to conform to the specification. However, it is still the responsibility of the manufacturer or marketer to ensure satisfactory performance of its products in all aspects at all times. Registration for CES 20077 does not waive product liability of the manufacturer or marketer. Cummins does not warrant the performance of non-Cummins products, registered or not.

Cummins Inc.
500 Jackson Street
Columbus, IN 47201 USA
Phone 1 812 377 5000
cummins.com

Revision Date: May 1, 2006



8/13/2013

Vitor Pimenta
Comma Oil and Chemicals Ltd
Dering Way, Gavesend
Kent DA12 2QX,
England
V.Pimenta@commaoil.com

Dear Vitor,

CONFORMANCE TO CES 20078 ENGINE OIL SPECIFICATION

Results from tests according to CES 20078 have been presented to Cummins. In view of the results I would like to give the following comments.

The results have been found to be within the CES 20078 limits and hence oils formulated as stated in your request can be labeled as conforming to CES 20078.

The oils shall be used per the ambient temperature and SAE grade guidelines in the engine specific Operation and Maintenance (O & M) manual as well as in any Cummins service documents.

Please notify Cummins Inc. if the formulation of this product changes.

Brand Name: Comma Transflow SD 15W-40
SAE Grade: 15W-40

I hope this information will be of assistance to you.

Sincerely,

A handwritten signature in black ink, appearing to read 'Daniel Nyman'.

Daniel A. Nyman
Chemical Technology

DISCLAIMER: Product registration means the manufacturer or marketer has faithfully collected information pertinent to the requirements of the specification, and with the full intention to conform to the specification. However, it is still the responsibility of the manufacturer or marketer to ensure satisfactory performance of its products in all aspects at all times. Registration for CES 20078 does not waive product liability of the manufacturer or marketer. Cummins does not warrant the performance of non-Cummins products, registered or not.

Cummins Inc.
500 Jackson Street
Columbus, IN 47201 USA
Phone 1 812 377 5000
cummins.com

Revision Date: May 1, 2006



Ford Motor Company Limited

Fuels & Lubes Department
Ford Motor Company
Dunton Technical Centre
Room 15/GB-E10-B
Laindon, Basildon,
Essex, SS15 6EE

Tel. : + 44 (0) 1268 402801
Fax: + 44 (0) 1268 405619

Date: 14th July 2016

Mr.Vince Miller
Comma Oil & Chemicals Ltd
Dering Way,
Gravesend,
Kent, DA12 2QX

Dear Mr Miller,

Ref: Request of Comma Oil & Chemicals Limited for Claiming Ford WSS-M2C913-D Specification on Cosan Lubricants' product "Comma Xtech 5W-30".

We acknowledge your claim for Ford WSS-M2C913-D on Comma Xtech 5W-30.

However, please ensure that you adhere to these formulations including the additive types, additive treat rates and the base oils used for blending. Ford has the right to take samples, request analysis of the blends and have the right to ask you to remove the product from the market if requirements are not met.

Ford hereby excludes all liability whatsoever for our above acknowledgement and reserves our rights, as the testing has not been conducted by Ford and the acknowledgement was based only on the information provided.

This acknowledgement from Ford in no way implies that Ford is recommending the oil. In no circumstances can any actual or implied recommendation be made to third parties.

Yours sincerely,

Suhair Abdelhalim
Senior Lubricant Engineer

Rhys Davies
Fuels & Lubes Supervisor

MAN Truck & Bus AG



MAN Truck & Bus AG Postfach 44 02 58 90207 Nürnberg

COMMA OIL & CHEMICALS LTD.

Mr. Karl Rudman
Dering Way
DA12 2QX Gravesend Kent
England

Unser Hausruf
0911 420-2713

Unser Telefax
0911 420-1928

Abt./Kürzel
EPTAO, Kramer

Nürnberg,
22.06.2015

Approval of: **super high performance diesel engine oil**
to works standard **M 3477**
Start of approval: 19.06.2015
End of approval: 18.06.2018
Validity: worldwide

Dear Sir/Madam,

We are pleased to inform you that the service product with the designation

Comma TransFlow UD 10W-40
SAE 10W-40

has been approved for MAN commercial vehicles under MAN approval number TUC 0211/15

This approval is valid for three years and expires automatically

- if the formulation is changed
- if there are negative results from the field

Changes of any kind in the formulation must be reported to MAN Truck & Bus AG immediately in writing and may require a new approval process, for which the manufacturer must make an application.

Vorsitzender des Aufsichtsrates: Rupert Stadler
Vorstand: Joachim Drees (Vorsitzender), Jan-Henrik Lafrentz,
Bernd Meierhofer, Dr. Carsten Intra, Jochen Schumm,
Ulrich Berkenhagen, Heinz-Jürgen Löw

Sitz der Gesellschaft: München
Commerzbank Aktiengesellschaft, Dachau BLZ 700 400 41 Konto 1450600
IBAN: DE33 7004 0041 0145 0600 00 BIC: COBADEFFXXX
Stadtsparkassen München BLZ 701 500 00 Konto 89104400
IBAN: DE36 7015 0000 0089 1044 00 BIC: SSKMDEMM

MAN Truck & Bus AG
Postfach 44 02 5 90207 Nürnberg
Vogelweiherstraße 33 90441 Nürnberg

Telefon +49 911 420-0 oder -Durchwahl
Telefax +49 911 420 446522

Wagenladungen: Nbg.-Rbf.
Lkw-Sendungen: Nbg.-Vogelweiherstr. 33

Registergericht: Amtsgericht München HRB 86 963 USt-IdNr. DE811125281

www.man-mn.com



The manufacturer or supplier must apply for an extension of the approval in writing. The application must contain confirmation that the formulation is unchanged. In the case of rebrands a written declaration of consent from the previous supplier must be submitted as well.

If the extension is not applied for in good time within the approval period (at the latest two months prior to expiry of the approval), the supplier approval and all rebrands will be deleted from the publicly accessible service product database on the day of expiry of the approval. After expiry of the approval period the product approval can be continued only by way of a new approval procedure, for which a charge will be made.

Yours faithfully,

MAN Truck & Bus AG

i.V. 

i.V. 

Vorsitzender des Aufsichtsrates: Rupert Stadler
Vorstand: Joachim Drees (Vorsitzender), Jan-Henrik Lafrentz,
Bernd Meierhofer, Dr. Carsten Intra, Jochen Schumm,
Ulf Berkenhagen, Heinz-Jürgen Löw

Sitz der Gesellschaft: München
Commerzbank Aktiengesellschaft, Dachau BLZ 700 400 41 Konto 1450600
IBAN: DE33 7004 0041 0145 0600 00 BIC: COBADEFFXXX
Stadtsparkassen München BLZ 701 500 00 Konto 89104400
IBAN: DE36 7015 0000 0089 1044 00 BIC: SSKMDEMM

Registergericht: Amtsgericht München HRB 86 963 | USt-IdNr. DE811125281

MAN Truck & Bus AG
Postfach 44 02 5 90207 Nürnberg
Vogelweiherstraße 33 90441 Nürnberg
Telefon +49 911 420-0 oder -Durchwahl
Telefax +49 911 420 446522
Wagenladungen: Nbg.-Rbf.
Lkw-Sendungen: Nbg.-Vogelweiherstr. 33
www.man-mn.com
Ein Unternehmen der MAN Gruppe



Daimler AG · 70546 Stuttgart

Comma Oil & Chemicals Ltd
 Attn. Mr. Vince Miller
 Dering Way
 DA12 2QX GRAVESEND
 UNITED KINGDOM

Telefon/Phone +49 7 11 17-	Telefax/Fax +49 7 11 17-	Hauspost-Code/ Internal Code
24801	59756	C651

Ihre Zeichen, Ihre Nachricht vom/
Your reference
23.08.2016

Unser Zeichen, unsere Nachricht vom/
Our reference
RD/PDI-F-68366

Name
E-Mail
Mrs. Fuchs

Datum/Date
02.11.2016

MB-Approval Certificate

New Approval - Engine Oil

MB-Approval 229.52 for: "Comma Syner-Z 5W-30 "

Oil-Code: OS222112, SAE-Grade: 5W-30

Reblend to OS222112 with Oil-Code: OS222112, Lubrizol Limited

Dear Sir or Madam,


The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.52 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE <http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the "Obligations Regarding Approval for Operating Fluids" contract signed on 17.10.2016 apply.

A 2-liter back-up sample of each formulation, which can be called upon by Daimler AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address.

Sincerely
 Daimler AG


 i.V. Telse Tschammon


 i.V. Markus Paule

K: 68462 + 68463



Daimler AG · 70546 Stuttgart

Comma Oil & Chemicals Ltd
 Attn. Mr. Vince Miller
 Dering Way
 DA12 2QX GRAVESEND
 UNITED KINGDOM

Telefon/Phone +49 7 11 17	Telefax/Fax +49 7 11 17	Hauspost-Code/ Internal Code
24801	59756	C651

Ihr Zeichen, Ihre Nachricht vom/
 Your reference
 23.08.2016

Unser Zeichen, unsere Nachricht vom/
 Our reference
 RD/PDI-F-68462

Name
 E-Mail
 Mrs. Fuchs

Datum/Date
 02.11.2016

Additional MB-Approval Certificate

Engine Oil

Additional MB-Approval 229.51 for: "Comma Syner-Z 5W-30 "
SAE-Grade: 5W-30

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.51 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

This is an Additional MB-Certificate. It does not affect the period of validity of other certificates. The period of validity of the relevant MB-Approval Certificate(s) and the date(s) for yearly verification(s) shall apply for this Additional MB-Approval Certificate. Applications for renewals or new approvals must be made on time.

This certificate is part of the relevant MB-Approval Certificate and shall be attached.

Sincerely
 Daimler AG


 i.V. Telse Tschamon


 i.V. Markus Paule

K: 68366



Daimler AG - 70546 Stuttgart

Comma Oil & Chemicals Ltd
 Attn. Mr. Vince Miller
 Dering Way
 DA12 2QX GRAVESEND
 UNITED KINGDOM

Telefon / Phone +49 7 11 17-	Telefax / Fax +49 7 11 17-	Hauspost-Code / Internal Code
24801	59756	C651

Ihr Zeichen, Ihre Nachricht vom/
 Your reference
 23.08.2016

Unser Zeichen, unsere Nachricht vom/
 Our reference
 RD/PDI-F-68463

Name:
 E-Mail
 Mrs. Fuchs

Datum / Date
 02.11.2016

Additional MB-Approval Certificate Engine Oil

Additional MB-Approval 229.31 for: "Comma Syner-Z 5W-30 " SAE-Grade: 5W-30

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.31 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

This is an Additional MB-Certificate. It does not affect the period of validity of other certificates. The period of validity of the relevant MB-Approval Certificate(s) and the date(s) for yearly verification(s) shall apply for this Additional MB-Approval Certificate. Applications for renewals or new approvals must be made on time.

This certificate is part of the relevant MB-Approval Certificate and shall be attached.

Sincerely
 Daimler AG


 i.V. Telse Tschamon


 i.V. Markus Paule

K: 68366



Daimler AG 70546 Stuttgart

Comma Oil & Chemicals Ltd
 Attn. Mr. V. Pimenta
 Dering Way
 DA 12 2QX GRAVESEND
 UNITED KINGDOM

Telefon/Phone +49 7 11 17-	Telefax/Fax +49 7 11 17-	Hauspost-Code/ Internal Code
24801	59756	C401

Ihr Zeichen, Ihre Nachricht vom/
 Your reference
 16.10.2014

Unser Zeichen, unsere Nachricht vom/
 Our reference
 RD/PDF-F-50083

Name
 E-Mail
 Mrs. Fuchs

Datum/Date
 04.12.2014

MB-Approval Certificate

MB-Approval 228.3 for Engine Oil: "TransFlow AD 10W-40"

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 228.3 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE <http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good
- In addition, the regulations laid down in the "Obligations Regarding Approval for Operating Fluids" contract signed on 29.10.2014 apply.

A 2-liter back-up sample of each formulation, which can be called upon by Daimler AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address. Former MB-Approval Certificates for the aforementioned operating fluid are hereby rendered invalid.

Sincerely
 Daimler AG

i.V. Dr. Wolfgang Sladek

i.V. Dr. Oliver Storz

h



Daimler AG 70546 Stuttgart

Comma Oil & Chemicals Ltd
Attn. Mr. V. Pimenta
Dering Way
DA12 2QX GRAVESEND
UNITED KINGDOM

Telefon/Phone +49 7 11 17	Telefax/Fax +49 7 11 17	Hauspost-Code/ Internal Code
24801	59756	C401

Ihr Zeichen, Ihre Nachricht vom/
Your reference:
16.10.2014

Unser Zeichen, unsere Nachricht vom/
Our reference:
RD/PDI-F-50084

Name
E-Mail
Mrs. Fuchs

Datum/Date:
04.12.2014

MB-Approval Certificate

MB-Approval 228.3 for Engine Oil: "TransFlow SD 15W-40"

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 228.3 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE <http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good
- In addition, the regulations laid down in the "Obligations Regarding Approval for Operating Fluids" contract signed on 29.10.2014 apply.

A 2-liter back-up sample of each formulation, which can be called upon by Daimler AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address. Former MB-Approval Certificates for the aforementioned operating fluid are hereby rendered invalid.

Sincerely
Daimler AG


i.V. Dr. Wolfgang Sladek


i.V. Dr. Oliver Storz



Daimler AG - 70546 Stuttgart

Telefon/Phone +49 7 11 17-	Telefax/Fax +49 7 11 17-	Hauspost-Code/ Internal Code
24801	59756	C401

Ihr Zeichen, Ihre Nachricht vom/
Your reference
04.04.2013

Unser Zeichen, unsere Nachricht vom/
Our reference
RD/PDI-F-38149

Name
E-Mail
Mrs. Fuchs

Datum/Date
23.10.2013

MB-Approval Certificate

New Approval - Engine Oil

MB-Approval 228.51 for: "TransFlow UD 10W-40"

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 228.51 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE <http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the "Obligations Regarding Approval for Operating Fluids" contract signed on 16.10.2013 apply.

A 2-liter back-up sample of each formulation, which can be called upon by Daimler AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address.

Sincerely
Daimler AG

i.V. Dr. Andreas Gorbach

i.V. Dr. Hermann Breitbach



Daimler AG - 70546 Stuttgart

Comma Oil & Chemicals Ltd
Attn. Mr. Vince Miller
Dering Way
DA12 2QX GRAVESEND
UNITED KINGDOM

Telefon/Phone +49 7 11 17-	Telefax/Fax +49 7 11 17-	Hauspost-Code/ Internal Code
24801	59756	C651

Ihr Zeichen, Ihre Nachricht vom/
Your reference
02.12.2016

Unser Zeichen, unsere Nachricht vom/
Our reference
RD/PDI-F-72004

Name
E-Mail
Mrs. Fuchs

Datum/Date
15.05.2017

Additional MB-Approval Certificate

Engine Oil

Additional MB-Approval 229.1 for: "COMMA Syner-G 5W-40" SAE-Grade: 5W-40

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.1 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

This is an Additional MB-Certificate. It does not affect the period of validity of other certificates. The period of validity of the relevant MB-Approval Certificate(s) and the date(s) for yearly verification(s) shall apply for this Additional MB-Approval Certificate. Applications for renewals or new approvals must be made on time. This certificate is part of the relevant MB-Approval Certificate and shall be attached.

Sincerely
Daimler AG


i.V. Fritz Kreitmann


i.V. Markus Paule

K: 72002

Jo



Daimler AG 70546 Stuttgart

Comma Oil & Chemicals Ltd
 Attn. Mr. Vince Miller
 Dering Way
 DA12 2QX GRAVESEND
 UNITED KINGDOM

Telefon/Phone +49 7 11 17	Telefax/Fax +49 7 11 17	Hauspost-Code/ Internal Code
24801	59756	C651

Ihr Zeichen, Ihre Nachricht vom/
Your reference
01.12.2016

Unser Zeichen, unsere Nachricht vom/
Our reference
RD/PDI-F-72002

Name:
E-Mail
Mrs. Fuchs

Datum/Date
15.05.2017

MB-Approval Certificate

New Approval - Engine Oil

MB-Approval 229.3 for: "COMMA Syner-G 5W-40" SAE-Grade: 5W-40

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.3 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE <http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the "Obligations Regarding Approval for Operating Fluids" contract signed on 21.03.2017 apply.

A 2-liter back-up sample of each formulation, which can be called upon by Daimler AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address.

Sincerely
 Daimler AG

i.V. Fritz Kreitmann

i.V. Markus Paule

K: 72004



Daimler AG - 70546 Stuttgart

Comma Oil & Chemicals Ltd
 Attn. Mr. V. Pimenta
 Dering Way
 DA12 2QX GRAVESEND
 UNITED KINGDOM

Telefon/Phone +49 7 11 17-	Telefax/Fax +49 7 11 17-	Hauspost-Code/ Internal Code
24801	59756	C401

Ihr Zeichen, Ihre Nachricht vom/ Your reference	Unser Zeichen, unsere Nachricht vom/ Our reference	Name E-Mail	Datum/Date
16.10.2014	RD/PDI-F-50083	Mrs. Fuchs	04.12.2014

MB-Approval Certificate

MB-Approval 228.3 for Engine Oil: "TransFlow AD 10W-40"

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 228.3 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE <http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good
- In addition, the regulations laid down in the "Obligations Regarding Approval for Operating Fluids" contract signed on 29.10.2014 apply.

A 2-liter back-up sample of each formulation, which can be called upon by Daimler AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address. Former MB-Approval Certificates for the aforementioned operating fluid are hereby rendered invalid.

Sincerely
 Daimler AG

i.V. Dr. Wolfgang Sladek

i.V. Dr. Oliver Storz

f



CHANGEONS DE VIE
CHANGEONS L'AUTOMOBILE

RENAULT TECHNOLOGIE ROUMANIE
RO CTT A00 1 07, Titu, jud. Dambovita
Str. Aviatorilor, Nr.1, Cod 135500

RENAULT TECHNOLOGIE ROUMANIE
Mioveni

API :RO MIO 100 P 20
Sofia-Aurora MONDIRU

Réf. KCM7300-2016-13053

Le 14/04/2016

Company: Comma Oil & Chemicals Ltd
Address: Dering Way , Gravesend
Kent
DA12 2QX
United Kingdom

Objet : RN Certification – Comma Oil & Chemicals Ltd – Renault approval.

Dear Sir

I am pleased to send you the Renault certificate. Here you can find some details about your RN after sale engine oil :

- " Comma-Ecoren SAE 5w-30" : RN0720-16-04

The certification is effective for 4 years (until **14/04/2020**).

Thank you for your cooperation.

Kind regards,

Marian SIRBU
Chef de Service
« Ingénierie des matériaux »

RENAULT Property

VOLKSWAGEN

AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

Comma Oil & Chemical Ltd
Chris Clarkson
Dering Way
Gravesend Kent DA12 2QX
United Kingdom

CC
01.08.17
1437-elf-sk
9-43156
9-32371
E-MAIL

engine.oil.approvals.vw@r.wob@volkswagen.de

DATUM
07.10.2017

Engine Oil

Dear Mr Chris Clarkson,

Analysis of the engine oil

Comma Eurolite SAE 10W-40

has shown that product in question meets the requirements in accordance with VW Standard 501 01 and VW Standard 505 00. This engine oil is therefore suitable for use in our petrol and diesel engines, including engines with turbochargers, in accordance with the Owner's Literature for our products.

So that it is clear to both customers and workshops that this approval has been granted, containers should state:

“approved under VW Standard 501 01 and VW Standard 505 00”


Please note that this approval expires after 36 months, at which point compliance with the then valid VW standards must be verified again.

Yours sincerely,



i.V.

Dr. Elfrath



i.A.

Dr. Kossmehl

IHRE ZEICHEN

IHRE NACHRICHT

UNSERE ZEICHEN

DURCHWAHL

TELEFAX

E-MAIL

DATUM

VOLKSWAGEN AKTIENGESELLSCHAFT

38436 WOLFSBURG

DEUTSCHLAND

TELEFON +49 5361 9-0

TELEFAX +49 5361 9-28282

VW@VOLKSWAGEN.DE

EHRENVORSITZENDER DES

AUFSICHTSRATS:

KLAUS LIESEN

VORSITZENDER DES AUFSICHTSRATS:

HANS DIETER PÖTSCH

VORSTAND:

MATTHIAS MÜLLER –

VORSITZENDER

KARLHEINZ BLESSING

HERBERT DIESS

FRANCISCO J. GARCIA SANZ

JOCHEM HEIZMANN

ANDREAS RENSCHLER

RUPERT STADLER

HILTRUD D. WERNER

FRANK WITTER

VOLKSWAGEN AKTIENGESELLSCHAFT

SITZ: WOLFSBURG

AMTSGERICHT BRAUNSCHWEIG

HRB 100484

VOLKSWAGEN

AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

Comma Oil & Chemical Ltd
Chris Clarkson
Dering Way
Gravesend Kent DA12 2QX
United Kingdom

cc
19.05.17
1437-elf-sk
9-43156
9-32371

IHRE ZEICHEN
IHRE NACHRICHT
UNSERE ZEICHEN
DURCHWAHL
TELEFAX
E-MAIL

engine.oil.approvals.vwag.r.wob@volkswagen.de

30.09.2017 DATUM

Engine Oil

Dear Mr Chris Clarkson,

Analysis of the engine oil

Comma Prolife SAE 5W-30

has shown that product in question meets the requirements in accordance with VW Standard 504 00 and VW Standard 507 00. This engine oil is therefore suitable for use in our vehicles with LongLife Service (petrol and diesel engines, including diesel engines with particulate traps without fuel borne catalyst) in accordance with the Owner's Literature for our products.

This engine oil is not suitable for all sales countries given in the approval application due to the local fuel quality.

So that it is clear to both customers and workshops that this approval has been granted, containers should state:

"approved under VW Standard 504 00 and VW Standard 507 00"

This approval is only valid for the following production site:

**Moove Lubricants, Operations Plant, Dering Way, Gravesend
Kent DA12 2QX, United Kingdom**


Please note that this approval expires after 36 months, at which point compliance with the then valid VW standards must be verified again.

Yours sincerely,



i.V.

Dr. Elfrath



i.A.

Dr. Kossmehl

VOLKSWAGEN AKTIENGESELLSCHAFT
38436 WOLFSBURG
DEUTSCHLAND
TELEFON +49 5361 9-0
TELEFAX +49 5361 9-28282
VW@VOLKSWAGEN.DE

EHRENVORSITZENDER DES
AUFSICHTSRATS:
KLAUS LIESEN

VORSITZENDER DES AUFSICHTSRATS:
HANS DIETER PÖTSCH

VORSTAND:
MATTHIAS MÜLLER –
VORSITZENDER

KARLHEINZ BLESSING
HERBERT DIESS
FRANCISCO J. GARCIA SANZ
JOCHEM HEIZMANN
ANDREAS RENSCHLER
RUPERT STADLER
HILTRUD D. WERNER
FRANK WITTER

VOLKSWAGEN AKTIENGESELLSCHAFT
SITZ: WOLFSBURG
AMTSGERICHT BRAUNSCHWEIG
HRB 100484

VOLKSWAGEN

AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

Comma Oil & Chemical Ltd
Chris Clarkson
Dering Way
Gravesend Kent DA12 2QX
United Kingdom

CC
21.1.16
1437-elf-sk
9-43156
9-32371

IHRE ZEICHEN
IHRE NACHRICHT
UNSERE ZEICHEN
DURCHWAHL
TELEFAX
E-MAIL

engine.oil.approvals.vwag.r.wcb@volkswagen.de

31.12.2016

DATUM

Engine Oil

Dear Mr Chris Clarkson,

Analysis of the engine oil

Comma Syner-G SAE 5W-40

has shown that product in question meets the requirements in accordance with VW Standard 502 00 and VW Standard 505 00. This engine oil is therefore suitable for use in our petrol and diesel engines, including engines with turbochargers, in accordance with the Owner's Literature for our products.

So that it is clear to both customers and workshops that this approval has been granted, containers should state:

"approved under VW Standard 502 00 and VW Standard 505 00"


Please note that this approval expires after 36 months, at which point compliance with the then valid VW standards must be verified again.

Yours sincerely,



i.V.

Dr. Elfrath



i.A.

Dr. Kossmehl

VOLKSWAGEN AKTIENGESELLSCHAFT
38436 WOLFSBURG
DEUTSCHLAND
TELEFON +49 5361 9-0
TELEFAX +49 5361 9-28282
VW@VOLKSWAGEN.DE

EHRENVORSITZENDER DES
AUFSICHTSRATS:
KLAUS LIESEN

VORSITZENDER DES AUFSICHTSRATS:
HANS DIETER POTSCH

VORSTAND:
MATTHIAS MÜLLER –
VORSITZENDER

KARLHEINZ BLESSING
HERBERT DIESS
FRANCISCO J. GARCIA SANZ
JOCHEM HEIZMANN
CHRISTINE HOHMANN-DENNHARDT
ANDREAS RENSCHLER
RUPERT STADLER
FRANK WITTER

VOLKSWAGEN AKTIENGESELLSCHAFT
SITZ: WOLFSBURG
AMTSGERICHT BRAUNSCHWEIG
HRB 100484

VOLKSWAGEN

AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

Comma Oil & Chemical Ltd
Chris Clarkson
Dering Way
Gravesend Kent DA12 2QX
United Kingdom

CC IHRE ZEICHEN
11.07.17 IHRE NACHRICHT
1437-elf-sk UNSERE ZEICHEN
9-43156 DURCHWAHL
9-32371 TELEFAX

E-MAIL
engine.oil.approvals.vw@volkswagen.de

30.09.2017 DATUM

Engine Oil

Dear Mr Chris Clarkson,

Analysis of the engine oil

Comma Pro-VLL SAE 0W-30

has shown that product in question meets the requirements in accordance with VW Standard 503 00 and VW Standard 506 01. This engine oil is therefore suitable for use in our petrol and diesel engines with LongLife Service, in accordance with the Owner's Literature for our products.

So that it is clear to both customers and workshops that this approval has been granted, containers should state:

"approved under VW Standard 503 00 and VW Standard 506 01"


Please note that this approval expires after 36 months, at which point compliance with the then valid VW standards must be verified again.

Yours sincerely,



i.V.

Dr. Elfrath



i.A.

Dr. Kossmehl

VOLKSWAGEN AKTIENGESELLSCHAFT
38436 WOLFSBURG
DEUTSCHLAND
TELEFON +49 5361 9-0
TELEFAX +49 5361 9-28282
VW@VOLKSWAGEN.DE

EHRENVORSITZENDER DES
AUF SICHTSRATS:
KLAUS LIESEN

VORSITZENDER DES AUF SICHTSRATS:
HANS DIETER PÖTSCH

VORSTAND:
MATTHIAS MÜLLER –
VORSITZENDER

KARLHEINZ BLESSING
HERBERT DIESS
FRANCISCO J. GARCIA SANZ
JOCHIM HEIZMANN
ANDREAS RENSCHLER
RUPERT STADLER
HILTRUD D. WERNER
FRANK WITTER

VOLKSWAGEN AKTIENGESELLSCHAFT
SITZ: WOLFSBURG
AMTSGERICHT BRAUNSCHWEIG
HRB 100484

VOLKSWAGEN

AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

Comma Oil & Chemical Ltd
Chris Clarkson
Dering Way
Gravesend Kent DA12 2QX
United Kingdom

12.06.17 IHRE ZEICHEN
cc IHRE NACHRICHT
1437-elf-sk UNSERE ZEICHEN
9-43156 DURCHWAHL
9-32371 TELEFAX
E-MAIL

engine.oil.approvals.vw@volkswagen.de

30.09.2017 DATUM

Engine Oil

Dear Mr Chris Clarkson,

Analysis of the engine oil

Comma PD Plus SAE 5W-40

has shown that product in question meets the requirements in accordance with VW 505 00 and VW Standard 505 01. This engine oil is therefore suitable for use in our petrol and diesel engines, including engines with turbochargers, in accordance with the Owner's Literature for our products.

So that it is clear to both customers and workshops that this approval has been granted, containers should state:

"approved under VW Standard 505 00 and VW Standard 505 01"


Please note that this approval expires after 36 months, at which point compliance with the then valid VW standards must be verified again.

Yours sincerely,



i.V.

Dr. Elfrath



i.A.

Dr. Kossmehl

VOLKSWAGEN AKTIENGESELLSCHAFT
38436 WOLFSBURG
DEUTSCHLAND
TELEFON +49 5361 9-0
TELEFAX +49 5361 9-28282
VW@VOLKSWAGEN.DE

EHRENVORSITZENDER DES
AUF SICHTSRATS:
KLAUS LIESEN

VORSITZENDER DES AUF SICHTSRATS:
HANS DIETER POTSCH

VORSTAND:
MATTHIAS MÜLLER –
VORSITZENDER

KARLHEINZ BLESSING
HERBERT DIESS
FRANCISCO J. GARCIA SANZ
JOCHIM HEIZMANN
ANDREAS RENSCHLER
RUPERT STADLER
HILTRUD D. WERNER
FRANK WITTER

VOLKSWAGEN AKTIENGESELLSCHAFT
SITZ: WOLFSBURG
AMTSGERICHT BRAUNSCHWEIG
HRB 100484



Volvo Car Corporation

Document Type
APPROVAL FORM

Product Type
ENGINE OIL

Area of Application
SERVICE FILL

COPYRIGHT VOLVO CAR CORPORATION [2010] AND/OR LICENSED TO VOLVO CAR CORPORATION. ALL RIGHTS RESERVED

Approval Revision
001

Page No
1 (1)

Date of Approval: 2018-02-22

Expiry Date of Approval: 2020-02-22

Document Name

APPROVAL: ENGINE OIL 95200377 ACEA A5/B5 SAE 0W-30 – SERVICE FILL

Part must comply with VCC Restricted Substance Management Standard (RSMS) VCS 5036,5

Technical Approval

Material Specification Information:

Specification Document No.: 95200377

Specification Name: A5/B5 SAE 0W-30 – Service Fill

Area of application: After Market

Viscosity Grade: 0W-30

ACEA classification: A5/B5-12

Supplier information:

Company: Moove Lubricants Contact Name: Chris Clarkson

Contact e-mail: Chris.Clarkson@uk.moovelub.com Contact Tel.: +44 7788 390 016


Product Name: Voltech 0W-30 Viscosity Grade: 0W-30

ACEA classification: A5/B5-12

Have there been any modifications since last approval: YES/NO

If "Yes", type of modifications: _____

Approver Information:

Approver Name: Ulf Karlsson Signature: 

Title: Senior Engineer Department: Engine Strategy and Research

Date of approval: 2018-02-22 Expiry date of approval: 2020-02-22



Volvo Group Trucks Technology

STD 417-0001 approval

Company name: Comma Oil & Chemicals limited
Product name: Comma Transflow 10W-30 LAFE
Viscosity grade: 10W-30

Volvo VDS-4 approval	Yes
Mack EO-O Premium Plus approval	Yes
Renault VI RLD-3 approval	Yes

Approval date: January 30, 2018 **Approval #:** 417-0001-18-1104

Validity: Approval expires two years after the approval date.
For approval extension, a complete and updated approval form must be submitted at the expiry date \pm two months.

Signed: Volvo Group Trucks Technology

Bengt Otterholm
Lubricants Coordinator



Volvo Group Trucks Technology

STD 417-0001 approval

Company name: Comma Lubricants and Chemicals Ltd
Product name: Comma Transflow 10W-40 LA
Viscosity grade: 10W-40

Volvo VDS-4 approval	Yes
Mack EO-O Premium Plus approval	Yes
Renault VI RLD-3 approval	Yes

Approval date: January 30, 2018 **Approval #:** 417-0001-18-1103

Validity: Approval expires two years after the approval date.
For approval extension, a complete and updated approval form must be submitted at the expiry date \pm two months.

Signed: Volvo Group Trucks Technology

Bengt Otterholm
Lubricants Coordinator



Volvo Group Trucks Technology


STD 417-0002 approval

Company name:* | Cosan Lubricants*
Product name:* | Comma TransFlow AD 10W-40
Viscosity grade: | 10W-40

Volvo VDS-3 approval	Yes
Mack EO-N approval	Yes
Renault VI RLD-2 approval	Yes

Approval date: December 14, 2016 **Approval #:** 417-0002-16-1061

Validity: Approval expires two years after the approval date.
For approval extension, a complete and updated approval form must be submitted at the expiry date ± two months.

Signed: Volvo Group Trucks Technology

Bengt Otterholm
Lubricants Coordinator

Disclaimer: This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).



Volvo Car Corporation

Document Type

APPROVAL FORM

Product Type

ENGINE OIL

Area of Application

SERVICE FILL

COPYRIGHT VOLVO CAR CORPORATION [2010] AND/OR LICENSED TO VOLVO CAR CORPORATION. ALL RIGHTS RESERVED

Approval Revision

001

Page No

1 (1)

Date of Approval: 2016-10-03

Expiry Date of Approval: 2019-10-03

Document Name

APPROVAL: ENGINE OIL VCC RBS0-2AE 0W-20 – SERVICE FILL

Part must comply with VCC Restricted Substance Management Standard (RSMS) VCS 5036,5

Technical Approval

Material Specification Information:

Specification Document No.: 8751149

Specification Name: VCC RBS0-2AE 0W-20 – Service Fill

Area of application: After Market

Viscosity Grade: 0W-20

ACEA classification: C2-12 equivalent

Supplier information:

Oil Company: Comma Oil & Chemicals Contact Name: Vince Miller

Contact e-mail: Vince.Miller@uk.cosan.com Contact Tel.: +44 (0)1474546314


Product Name: Comma Eco-V 0W-20 Viscosity Grade: 0W-20

Product Code: _____ ACEA classification: C2-12 equivalent

Have there been any modifications since last approval: N/A

If "Yes", type of modifications: _____

Approver Information:

Approver Name: Sabine Fleiss Signature: 

Title: Senior Engineer Department: Engine Strategy and Research

Date of approval: 2016-10-03 Expiry date of approval: 2019-10-03



Corporate Research & Development

ZF Friedrichshafen AG · 88038 Friedrichshafen

Moove Lubricants
Comma Works, Dering Way
DA12 2QX Gravesend

UNITED KINGDOM

Department DTRM4
From Stella Braunschweig
Phone +49 7541 77 7853
Fax +49 7541 77 907853
E-mail Stella.Braunschweig@zf.com
Your Ref.
Our Ref.
Date 2018-04-03

Comma PRO EP 75W-90 TDL

Dear Madam / Sir

We confirm approval of your lubricant Comma PRO EP 75W-90 TDL (ZF approval number ZF003420) for application according to the ZF Lubricant Class/es

- **TE-ML 02B**
- **TE-ML 05A**
- **TE-ML 12L**
- **TE-ML 12N**
- **TE-ML 16F**
- **TE-ML 17B**
- **TE-ML 19C**
- **TE-ML 21A**

Approval is based on the data in your approval application of 2018-01-19. Any alterations of these data will result in withdrawal of approval and the need to submit a new application. You are under the obligation to report any changes to approved products without delay. The approval of this oil is subject to the General Terms and Conditions for Research and Development Services (applicable as of 11/2015) of ZF Friedrichshafen AG.

Approval is valid for 12 months. If after 11 months you use our approval system "lubricant data file" to confirm unaltered condition of the formulation, approval will be extended by another 12 months. If not, approval will automatically be withdrawn. A reminder will be mailed to you in good time.

Best regards

Stella Braunschweig

Chairman of the Supervisory Board: Dr.-Ing. Franz-Josef Paefgen
Board of Management: Wolf-Henning Scheider (CEO), Dr. Konstantin Sauer,
Jürgen Holeksa, Michael Hankel, Wilhelm Rehm, Dr. Franz Kleiner, Peter Lake
Headquarters: Friedrichshafen •
Trade register of the municipal court of Ulm HRB 630206

ZF Friedrichshafen AG
Graf-von-Soden-Platz 1
88046 Friedrichshafen
Germany
Phone +49 7541 77-0
Fax +49 7541 77-908000



Moove Lubricants Europe
 30 Tower View
 Kings Hill, West Malling
 Kent ME19 4UY

Jaguar Land Rover
 Abbey Road, Whitley
 Coventry CV3 4LF
 T +44 (0)2476 303 080

FAO. Chris Clarkson

Issue Date: 30 April 2018

Dear Chris,

Jaguar Land Rover engine oil specification STJLR.03.5003

Verification certificate for:

Your Brand: Comma Xtech 5W-30


Based on the data submitted we confirm that the above product meets the requirements of Jaguar Land Rover engine oil specification STJLR.03.5003 for use in all Jaguar Land Rover vehicles where STJLR.03.5003 is specified.


This acknowledgement relates only to the specific base oils used, additive types and their treat rates under the brand name as identified in your application. Furthermore Jaguar Land Rover reserves the right to rescind such an acknowledgement and ask you to remove the JLR specification from the product claim if, in its opinion the product when subsequently tested does not comply with the formulation in the application.


This letter in no way implies a recommendation of the product, and as producer and retailer you and your distributors retain all responsibility for the quality and fitness of the product in use. This letter does not allow the use of the Jaguar Land Rover brand for any marketing purposes but entitles the use of the claim STJLR.03.5003 on your packaging.

This verification is valid until 30 November 2018.

Yours faithfully,


 Pierre Rabaso,
 Subject Matter Expert, Engine Lubricants.


 David Williams,
 Principal Engineer, Cooling and Lubricants.


 Carl White,
 Senior Manager, Core Engines.

For and behalf of
 Jaguar Land Rover Limited.



Certificate of License

Issued to

Comma Oil & Chemicals Ltd.

This document certifies that the company named above is authorized to use the General Motors dexos2™ trademark in conjunction with the fluid specified below:

Marketing Name: **Comma Syner-Z**
 SAE Viscosity Grade: **5W-30**
 Primary License No.: **D20795IB194**
 License Region: **Europe**
 Expiration Date: **December 31, 2018**

This fluid has met the rigorous quality requirements for dexos2™ engine oil. The company named above agrees to maintain the terms of and comply with the quality standards set forth in the dexos® Licensing Program Policies and Procedures and License Agreement. The license number shown above must appear on all container labels of licensed product. Should there be any questions regarding this license, please contact the Center for Quality Assurance, the administrator of the dexos® Licensing Program.

Center for Quality Assurance
 4800 James Savage Road
 Midland, MI 48642 USA
 T: +1 989 496 2399
 F: +1 989 496 3438
 E: dexos@CenterForQA.com
 www.CenterForQA.com



Rebecca Cox
 Authorized Signature

May 17, 2018
 Date

Subscribed and sworn to before me this:

17th day of May, 2018

Yvonne Decarla Starks, Notary Public
 County of Saginaw, State of Michigan, USA
 Acting in the County of Midland, State of Michigan, USA
 My Commission Expires: January 28, 2020



Moove Lubricants Europe
 30 Tower View
 Kings Hill, West Malling
 Kent ME19 4UY

Jaguar Land Rover
 Abbey Road, Whitley
 Coventry CV3 4LF
 T +44 (0)2476 303 080

FAO. Chris Clarkson

Issue Date: 3 July 2018

Dear Chris,

Jaguar Land Rover engine oil specification STJLR.03.5004

Verification certificate for:

Your Brand: Comma Eco-F 5W-20


Based on the data submitted we confirm that the above product meets the requirements of Jaguar Land Rover engine oil specification STJLR.03.5004 for use in all Jaguar Land Rover vehicles where STJLR.03.5004 is specified.


This acknowledgement relates only to the specific base oils used, additive types and their treat rates under the brand name as identified in your application. Furthermore Jaguar Land Rover reserves the right to rescind such an acknowledgement and ask you to remove the JLR specification from the product claim if, in its opinion the product when subsequently tested does not comply with the formulation in the application.

This letter in no way implies a recommendation of the product, and as producer and retailer you and your distributors retain all responsibility for the quality and fitness of the product in use. This letter does not allow the use of the Jaguar Land Rover brand for any marketing purposes but entitles the use of the claim STJLR.03.5004 on your packaging.

This verification is valid until 3 July 2019.

Yours faithfully,


 Pierre Rabaso,
 Subject Matter Expert, Engine Lubricants.


 David Williams,
 Principal Engineer, Cooling and Lubricants.


 Graham Page,
 Chief Engineer, Core Engines.

For and behalf of
 Jaguar Land Rover Limited.